



Pony Testing International Group

Report No.: MPIRBFNL992847U3

MSDS Report

Sample Name
& Model

Dry Battery LR03

Applicant

Camelion Battery Co., Ltd.

Address

Unit 705, Cyber Times Tower A, Tian'an Cyber Park,
Shenzhen, China.518041



No.: MPIRBFNL992847U3

Code: pzcumkqzfn

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5688

www.ponytest.com



北京实验室: (010) 83055000

上海实验室: (021) 64851999

青岛实验室: (0532) 88706866

深圳实验室: (0755) 26050909

天津实验室: (022) 23607888

苏州实验室: (0512) 62997900

武汉实验室: (027) 85446975

武汉车附所: (027) 82318175

长春实验室: (0431) 80530198

大连实验室: (0411) 87336618

哈尔滨实验室: (0451) 58627755

郑州实验室: (0371) 69350670

新疆实验室: (0991) 6684186

石家庄实验室: (0311) 85376660

西安实验室: (029) 89608785

杭州实验室: (0571) 87219096

宁波实验室: (0574) 87977185

呼和浩特实验室: (0471) 3450025

太原实验室: (0351) 7555722

南宁实验室: (0771) 5518818

合肥实验室: (0551) 63843474

广州实验室: (020) 89224310

厦门实验室: (0592) 5568048

成都实验室: (028) 87702708

声 明 Statement

1. 本证明/报告的结论仅对委托方所送样品负责。
The conclusion of the certificate/report is responsible for the provided sample only.
2. 委托方必须如实提供样品, 申报和声明资料, 并保证与实际相符, 否则由委托方承担由此导致的全部后果和责任。
The applicant shall provide accurately and truly the description and statement of the sample, shall guarantee to match the sample and real situation which they provided and declared. Otherwise the application shall bear any relevant consequences and responsibility.
3. 如委托方提供的样品及相关资料存在虚假、伪造等情形, 所造成的全部后果和责任由委托方承担。
In case the sample and documents provided involved in the situation of fake and forgery, any consequences and responsibility caused by this shall be undertaken by applicant.
4. 本证明/报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效, 本单位将对上述行为追究其相应的法律责任。
The certificate/report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.
5. 本证明/报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.
6. 本单位有权在完成证明/报告后处理委托方所送样品。
PONY has the right to dispose the provided sample after approval of the certificate/report.

▲ 防伪说明:

- (1) 报告编号是唯一的;
 - (2) 报告采用特制防伪纸张印制, 纸张表面带有“PONY”防伪纹路, 该防伪纹路不支持复印, 即复制件不会带有“PONY”防伪纹路;
 - (3) 报告采用的防伪纸张内部亦加带有高科技“PONY”防伪水印, 只有在验钞机等紫外线照射下方可显出无色荧光防伪字样。
- *****



全国服务热线
400-819-5688

WWW.PONYTEST.COM

扫描二维码
关注谱尼测试微信
公众号 PONY4008195688



| | | | |
|------------------------|-------------------------|-------------------------|------------------------|
| 北京实验室: (010) 83055000 | 武汉实验室: (027) 85446975 | 新疆实验室: (0991) 6684186 | 太原实验室: (0351) 7555722 |
| 上海实验室: (021) 64851999 | 武汉车附所: (027) 82318175 | 石家庄实验室: (0311) 85376660 | 南宁实验室: (0771) 5518818 |
| 青岛实验室: (0532) 88706866 | 长春实验室: (0431) 80530198 | 西安实验室: (029) 89608785 | 合肥实验室: (0551) 63843474 |
| 深圳实验室: (0755) 26050909 | 大连实验室: (0411) 87336618 | 杭州实验室: (0571) 87219096 | 广州实验室: (020) 89224310 |
| 天津实验室: (022) 23607888 | 哈尔滨实验室: (0451) 58627755 | 宁波实验室: (0574) 87977185 | 厦门实验室: (0592) 5568048 |
| 苏州实验室: (0512) 62997900 | 郑州实验室: (0371) 69350670 | 呼和浩特实验室: (0471) 3450025 | 成都实验室: (028) 87702708 |



集团微信订阅号 集团微信服务号



Pony Testing International Group

Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 1 of 10

Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.9 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical Product Identification

Sample Name: Dry Battery

Sample Model: LR03

Recommended Uses: Stores and supplies energy

Restrictions on Use: N/A

Supplier Name: Camelion Battery Co., Ltd.

Address: Unit 705, Cyber Times Tower A, Tian'an Cyber Park, Shenzhen, China.518041

Phone Number: +86 755 8361 8088/ 8287 8017

FAX: +86 755 8347 5720

E-mail: tek3@camelionbattery.com

Emergency Phone Number: 86 755 8361 8088

Section 2 - Hazards Identification

Emergency overview: This product is a battery. Intended use of the product should not result in exposure to the chemical substance. In case of rupture the below hazards exist.

Classification according to GHS

Acute toxicity, oral (4)

Acute toxicity, inhalation:Dusts and mists (4)

Skin corrosion/irritation (1A, 1B, 1C)

Specific target organ toxicity, repeated exposure (2)

Hazardous to the aquatic environment, long-term hazard (2)

Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H302 Harmful if swallowed

H332 Harmful if inhaled

H314 Causes severe skin burns and eye damage



Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 2 of 10

Pony Testing International Group

H373 May cause damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s):**Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response:

P330 Rinse mouth.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P363 Wash contaminated clothing before reuse.

P321 Specific treatment(See additional emergency instructions).

P391 Collect spillage.

Storage

P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.

Other hazards**Physical and chemical hazards:** See Section 10**Human health hazards:** See Section 11**Environmental hazards:** See Section 12

Section 3 – Composition/Information on Ingredients

Chemical characterization: Mixture

PONY 谱尼测试
Pony Testing International Group
☎Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Shenzhen Co., Ltd.
Address: 3/F of Building 2, Building 1, Xinhao Industrial Park, Yonghe Road, Qiaotou Community, Baoan District, Shenzhen, Guangdong, China
Phone: 0755-26050909

北京实验室: (010)83055000
北京医学实验室: (010)62450233-8010
北京谱尼科技公司: (010)80415661
青岛实验室: (0532)88706866
青岛医学实验室: (0532)88706866
天津实验室: (022)23607888
天津医学实验室: (022)23607888
长春实验室: (0431)80530198
吉林医学实验室: (0431)80529700
大连实验室: (0411)87336618
大连医学实验室: (0411)87336618

哈尔滨实验室: (0451)58627755
黑龙江医学实验室: (0451)58603455
郑州实验室: (0371)69350670
郑州谱尼医学实验室: (0371)63279066
新疆实验室: (0991)6684186
石家庄实验室: (0311)85376660
西安实验室: (029)89608785
西安创尼实验室: (029)81123093
西安谱尼医学实验室: (029)89608785
呼和浩特实验室: (0471)3450025

内蒙古医学实验室: (0471)3591511
太原实验室: (0351)7555722
成都实验室: (028)87702708
贵州实验室: (0851)85221000
上海实验室: (021)64851999
上海医学实验室: (021)64851999
苏州实验室: (0512)62997900
苏州汽车安全带及儿童安全座椅
碰撞实验室: (0512)62997900
苏州医学实验室: (0512)62997900
武汉车附所: (027)82318175

武汉实验室: (027)83997127
武汉医学实验室: (027)85446975
杭州实验室: (0571)87219096
杭州医学实验室: (0571)87219096
宁波实验室: (0574)87977185
合肥实验室: (0551)63843474
深圳实验室: (0755)26050909
深圳医学实验室: (0755)26050909
广州实验室: (020)89224310
南宁实验室: (0771)5518818
厦门实验室: (0592)5568048



Pony Testing International Group

| Chemical Composition | CAS No. | EC# | Weight (%) |
|-----------------------------|------------|-----------|------------|
| Zinc | 7440-66-6 | 231-175-3 | 16.7 |
| Manganese dioxide | 1313-13-9 | 215-202-6 | 43.2 |
| Graphite | 7782-42-5 | 231-955-3 | 3.5 |
| Potassium hydroxide | 1310-58-3 | 215-181-3 | 9.6 |
| Water | 7732-18-5 | 231-791-2 | 8.8 |
| Iron | 7439-89-6 | 231-096-4 | 15.2 |
| Brass | 12597-71-6 | 603-111-8 | 1 |
| Phenol-formaldehyde polymer | 9003-35-4 | 500-005-2 | 2 |

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO₂.



Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 4 of 10

Pony Testing International Group

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

Section 6 - Accidental Release Measures

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Protective equipment:

No data available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust.

Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

For all waste handling must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble. Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.



Pony Testing International Group

Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 5 of 10

Section 8 - Exposure Controls/Personal Protection

Control parameters

| CAS No. | ACGIH | NIOSH | OSHA |
|------------|-----------------------------|------------------------------|------------------------------------|
| 7440-66-6 | N/A | N/A | N/A |
| 1313-13-9 | N/A | N/A | N/A |
| 7782-42-5 | TLV-TWA 2mg/m ³ | REL-TWA 2.5mg/m ³ | PEL-TWA 15mppcf PEL-TWA 20mppcf |
| 1310-58-3 | TLV-Peak 2mg/m ³ | REL-Peak 2mg/m ³ | N/A |
| 7732-18-5 | N/A | N/A | N/A |
| 7439-89-6 | N/A | N/A | N/A |
| 12597-71-6 | N/A | N/A | N/A |
| 9003-35-4 | N/A | N/A | N/A |

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment:

Respiratory protection: Wear suitable protective mask. For a large large number of battery leakages, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eye Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Colour:

Silver and red.

Physical State:

Cylindrical.



Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 6 of 10

Pony Testing International Group

| | |
|---|----------------|
| Odour: | Not available. |
| pH: | Not available. |
| Melting point/freezing point: | Not available. |
| Boiling point or initial boiling point and boiling range: | Not available. |
| Flash Point: | Not available. |
| Flammability: | Not available. |
| Solubility: | Not available. |
| Lower and upper explosion limit/flammability limit: | Not available. |
| Auto-ignition temperature: | Not available. |
| Decomposition temperature: | Not available. |
| Kinematic viscosity: | Not available. |
| Partition coefficient: n-octanol/water (log value): | Not available. |
| Vapour pressure: | Not available. |
| Density and/or relative density: | Not available. |
| Relative vapour density: | Not available. |
| Particle characteristics: | Not available. |
| Other information: | |
| Voltage | 1.5V |
| Electric capacity | 1.15Ah |

Section 10 - Stability and Reactivity

Reactivity: No data available.

Chemical stability: Stable.

Possibility of hazardous reactions: No data available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatible materials: Oxidizing agents, acid base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

Section 11 - Toxicological Information

Acute Toxicity:

| CAS No. | LC50/LD50 |
|-----------|-----------------------------|
| 7440-66-6 | LD50 Rat (oral): >2000mg/kg |
| 1313-13-9 | LD50 Rat (oral): 284mg/kg |
| 7782-42-5 | No data available. |



Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 7 of 10

Pony Testing International Group

| | |
|------------|--------------------|
| 1310-58-3 | No data available. |
| 7732-18-5 | No data available. |
| 7439-89-6 | No data available. |
| 12597-71-6 | No data available. |
| 9003-35-4 | No data available. |

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available.

Respiratory or Skin sensitization: No data available.

Germ Cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-Single exposure: No data available.

Specific target organ toxicity-Repeated exposure: No data available.

Aspiration hazard: No data available.

Information on the likely routes of exposure: No data available.

Eye: No data available.

Skin: No data available.

Ingestion: No data available.

Inhalation: No data available.

Section 12 - Ecological Information

Ecological Toxicity:

CAS# 7440-66-6

ErC50: 0.15 mg/L - Algae (*Pseudokirchneriella subcapitata*) - 72h

Persistence and degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Disposal methods:

Recommendation:



Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 8 of 10

Pony Testing International Group

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging**Recommendation:** Disposal must be made according to official regulations.

Section 14 - Transport Information

| | |
|----------------------------------|--|
| UN or ID Number | |
| IATA, IMDG, Model Regulation | N/A |
| Proper Shipping Name/Description | |
| IATA, IMDG, Model Regulation | N/A |
| Class or Div. (Sub Hazard) | |
| IATA, IMDG, Model Regulation | Not Subjected for transport of dangerous goods |
| Packing Group | |
| IATA, IMDG, Model Regulation | N/A |
| Hazard Label | |
| IATA, IMDG, Model Regulation | N/A |
| Environmental hazards | |
| Marine pollutant: | No |
| Special precautions for user | No information available. |

Transport information: Dry Battery LR03 is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 63rd, IATA Special Provisions A123, International Maritime Dangerous Goods Regulations (IMDG) (40-20), or the 《Recommendations on the Transport of Dangerous Goods Model Regulations》 (22nd).

S.P.A123 This entry applies to Batteries, electric storage, not otherwise listed in Subsection 4.2—List of Dangerous Goods. Examples of such batteries are: alkali-manganese, zinc-carbon and nickel-cadmium batteries. Any electrical battery or battery powered device, equipment or vehicle having the potential of a dangerous evolution of heat must be prepared for transport so as to prevent (a) a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or, in the case of equipment, by disconnection of the battery and protection of exposed terminals); and (b) accidental activation

The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.



Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 9 of 10

Pony Testing International Group

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport.

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

| CAS No. | TSCA | IECSC | DSL/NDSL | EINECS/ ELINCS/ NLP |
|------------|--------|--------|------------|---------------------|
| 7440-66-6 | Listed | Listed | Listed DSL | Listed |
| 1313-13-9 | Listed | Listed | Listed DSL | Listed |
| 7782-42-5 | Listed | Listed | Listed DSL | Listed |
| 1310-58-3 | Listed | Listed | Listed DSL | Listed |
| 7732-18-5 | Listed | Listed | Listed DSL | Listed |
| 7439-89-6 | Listed | Listed | Listed DSL | Listed |
| 12597-71-6 | Listed | Listed | Listed DSL | Listed |
| 9003-35-4 | Listed | Listed | Listed DSL | Listed |

Section 16 - Other Information

Issue Date: 2022-01-06

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);



Report No.: MPIRBFNL992847U3 Date: 2022-01-06 Page 10 of 10

Pony Testing International Group

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

IARC: (International Agency for Research on Cancer);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

IECSC: (Inventory of Existing Chemical Substances in China);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances);

TOC: (Total Organic Carbon);

TSCA: (Toxic Substances Control Act of USA);

DSL: (the Domestic Substances List of Canada);

NDSL: (the Non-domestic Substances List of Canada)

IATA: (International Air Transport Association);

IMDG: (International Maritime Dangerous Goods);

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);

End of report